

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A method ~~for delivering~~ to deliver enhanced content to a set-top box, the method comprising:

receiving a trigger included in a video signal input at ~~said the~~ the set-top box for indicating that enhanced content is available;

establishing a communication link between a server and ~~said the~~ the set-top box, the server hosting different versions of enhanced content compatible with a plurality of different types of set-top boxes;

receiving instructions at the set-top box for identifying ~~[[a]] the~~ the type of ~~said the~~ the set-top box, the instructions received from the server;

forming, in accordance with the received instructions, a request for ~~said a~~ a version of the enhanced content ~~from said~~ hosted at the server and compatible with the set-top box based on the type of set-top box; and

receiving enhanced content at ~~said the~~ the set-top box for generation of an enhanced display.

2-3. (Canceled)

4. (Previously Presented) The method of claim 1 wherein said trigger is located in a vertical blanking interval of the video signal input.

5. (Original) The method of claim 1 wherein said trigger is a command string written in Advanced Television Enhancement Forum compliant code.

6. (Original) The method of claim 1 wherein said communication link is Hyper Text Transfer Protocol.

7. (Currently Amended) A method ~~for delivering~~ to deliver enhanced content to a set-top box, the method comprising:

receiving a trigger included in a video signal input at ~~said~~ the set-top box which indicates that enhanced content is available;

establishing a communication link between a server and said set-top box, the server hosting different versions of enhanced content compatible with a plurality of different types of set-top boxes;

sending a signal from said set-top box to said server through said communication link;

decoding a signal header at said server;

based on the decoded signal header, establishing ~~said~~ the set-top box type;

transmitting ~~said~~ the enhanced content corresponding to ~~said~~ the type of ~~said~~ the set-top box; and

receiving the enhanced ~~data~~ content ~~by~~ at ~~said~~ the set-top box to generate an enhanced display.

8. (Previously Presented) The method of claim 7 wherein said trigger is located in a vertical blanking interval of the video signal input.

9. (Previously Presented) The method of claim 7 wherein said trigger is a command string written in Advanced Television Enhancement Forum compliant code.

10. (Previously Presented) The method of claim 7 wherein said communication link is Hyper Text Transfer Protocol.

11-14. (Canceled)

15. (Currently Amended) A system ~~for delivering~~ to deliver enhanced content to a set-top box, the system comprising:

a set-top box to receive a trigger encoded in a video signal to indicate that enhanced content is available, and, in response to said trigger, to send a signal containing header information conveying type and location information of ~~said the~~ set-top box; and

a server hosting different versions of enhanced content compatible with a plurality of different types of set-top boxes, the server to receive ~~said the~~ signal and to respond to ~~said the~~ signal by transmitting enhanced content to ~~said the~~ set-top box; ~~and~~

———wherein ~~said the~~ set-top box is to receive the enhanced content and generate an enhanced display.

16. (Canceled)

17. (Currently Amended) The system of claim 15 wherein the server responds to said signal from said set-top box and only transmits a version of the enhanced content ~~specific to that compatible with the type of said set-top box.~~

18. (Previously Presented) The system of claim 15 wherein said trigger is located in a vertical blanking interval of the video signal input.

19. (Original) The system of claim 15 wherein said trigger is a command string written in Advanced Television Enhancement Forum compliant code.

20. (Original) The system of claim 15 wherein said communication link is Hyper Text Transfer Protocol.